

	Type	Hits	Search Text	DBs
1	BRS	53914	menu and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	10817	(menu and @ad<20010430) and icon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	7017	((menu and @ad<20010430) and icon) and configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	3668	((((menu and @ad<20010430) and icon) and configur\$5) and custom\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	3542	(((((menu and @ad<20010430) and icon) and configur\$5) and custom\$3) and (plurality or multiple)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	168	((((((menu and @ad<20010430) and icon) and configur\$5) and custom\$3) and (plurality or multiple)) and (sub adj menu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	162	((((((((menu and @ad<20010430) and icon) and configur\$5) and custom\$3) and (plurality or multiple)) and (sub adj menu)) and function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	124	(((((((((menu and @ad<20010430) and icon) and configur\$5) and custom\$3) and (plurality or multiple)) and (sub adj menu)) and function) and default	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	123	((((((((((menu and @ad<20010430) and icon) and configur\$5) and custom\$3) and (plurality or multiple)) and (sub adj menu)) and function) and default) and program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	105	((((((((((((menu and @ad<20010430) and icon) and configur\$5) and custom\$3) and (plurality or multiple)) and (sub adj menu)) and function) and default) and program) and sav\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	102	(((((((((((((menu and @ad<20010430) and icon) and configur\$5) and custom\$3) and (plurality or multiple)) and (sub adj menu)) and function) and default) and program) and sav\$3) and item	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	7160	(menu and @ad<20010430) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	555	((menu and @ad<20010430) and 345.clas.) and (user adj (custom\$6 or configur\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	479	((menu and @ad<20010430) and 345.clas.) and (user adj (custom\$6 or configur\$5))) and (icon or item)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	105	(((((((((((((menu and @ad<20010430) and icon) and configur\$5) and custom\$3) and (plurality or multiple)) and (sub adj menu)) and function) and default) and program) and sav\$3) and sav\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
16	BRS	300	(((((menu and @ad<20010430) and 345.clas.) and (user adj (custom\$6 or configur\$5))) and (icon or item)) and sav\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	295	(((((menu and @ad<20010430) and 345.clas.) and (user adj (custom\$6 or configur\$5))) and (icon or item)) and sav\$3) and function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	211	((((((menu and @ad<20010430) and 345.clas.) and (user adj (custom\$6 or configur\$5))) and (icon or item)) and sav\$3) and function) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	95	((((((((menu and @ad<20010430) and 345.clas.) and (user adj (custom\$6 or configur\$5))) and (icon or item)) and sav\$3) and function) and default) and sub	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	2	6121968.URPN.	USPAT
21	BRS	20	("4680729"   "4692858"   "5041967" "5115501"   "5220675"   "5261042" "5287514"   "5465358"   "5644737" "5644739"   "5726688"   "5757371" "5760768"   "5828376"   "5892512" "5897670"   "5914714"   "6057836" "6121968"   "6133915").PN.	USPAT
22	BRS	5	345/813.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	5	345/813.ccls. and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	26	5276795.URPN.	USPAT
25	BRS	8	(multi\$3 adj function) adj menu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	12	(plural\$3 adj function) adj menu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	89	(multiple or plural\$3 or many) with (path or function) with menu with icon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	72	((multiple or plural\$3 or many) with (path or function) with menu with icon) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	34	((multiple or plural\$3 or many) with (path or function) with menu with icon) and @ad<20010430) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	499	ast.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	28	ast.as. and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	8	("4789962"   "5155806"   "5287448" "5434965"   "5442687"   "5471575" "5483632"   "5546521").PN.	USPAT
33	BRS	23	5754176.URPN.	USPAT

	Type	Hits	Search Text	DBs
34	BRS	4	5737557.URPN.	USPAT
35	BRS	16	( "4712191"   "4772882"   "4931783" "5119475"   "5121477"   "5276795" "5287514"   "5345550"   "5485175" "5500935"   "5524195"   "5537630" "5564112"   "5581670"   "5596699" "5600778") .PN.	USPAT
36	BRS	16	5721853.URPN.	USPAT
37	BRS	2	5485175.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	5	5801703.URPN.	USPAT
39	BRS	15	( "5060170"   "5065347"   "5179653" "5204947"   "5230063"   "5237654" "5243697"   "5255358"   "5283864" "5297249"   "5345550"   "5347627" "5485175"   "5559944" "5701424") .PN.	USPAT
40	BRS	12	5701424.URPN.	USPAT
41	BRS	5	5801703.URPN.	USPAT
42	BRS	53	345/837.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	47	345/837.ccls. and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	11	5708787.URPN.	USPAT
45	BRS	11	5708787.URPN.	USPAT
46	BRS	11	( "4873623"   "4951190"   "5041967" "5124942"   "5263174"   "5367626" "5416901"   "5430839"   "5491795" "5500929"   "5557722") .PN.	USPAT
47	BRS	167	secondary adj menu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	1	(secondary adj menu) and (multiple adj (icon or item))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	11	(secondary adj menu) with ((many multi\$3 plural\$3) adj (item icon choice))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	0	(secondary adj menu) with ((many multi\$3 plural\$3) adj (option))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	1124	menu adj icon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	257	menu with default with selection	USPAT
53	BRS	10	menu with default with selection with area	USPAT
54	BRS	17	(start adj menu) with taskbar	USPAT

	Type	Hits	Search Text	DBs
55	BRS	63	(default adj selection) with menu	USPAT
56	BRS	61	((default adj selection) with menu) and @ad<20010430	USPAT
57	BRS	19	((default adj selection) with menu) and @ad<20010430) and	USPAT
58	BRS	57	user adj select adj default	USPAT
59	BRS	46	(user adj select adj default) and menu	USPAT
60	BRS	45	((user adj select adj default) and menu) and @ad<20010430	USPAT
61	BRS	13	((user adj select adj default) and menu) and @ad<20010430) and 345.clas.	USPAT
62	BRS	1	5276795.pn.	USPAT
63	BRS	0	menu adj configuration adj tool	USPAT
64	BRS	15	menu with (configuration adj tool)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	7	(menu with (configuration adj tool)) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	618	configur\$5 adj menu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	424	(configur\$5 adj menu) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	94	((configur\$5 adj menu) and @ad<20010430) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	52	((configur\$5 adj menu) and @ad<20010430) and 345.clas.) and sav\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	108	(configur\$5 adj3 menu).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	71	((configur\$5 adj3 menu).ab.) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	7	((configur\$5 adj3 menu).ab.) and @ad<20010430) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	5	("5504853"   "5559945"   "5701137"   "5917492"   "6121966").PN.	USPAT
74	BRS	6	((user adj configur\$5) with menu).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	BRS	5	((user adj configur\$5) with menu).ab.) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB